


North Carolina Trauma Registry Group

ED Assessment 1 GCS and RR Qualifier



Attachment 1) Sedative medication list by NTRACS

Attachment 2) Paralytic medication list by NTRACS

Attachment 1:

The following medications are those that identify a patient as “Chemically Sedated” for the purpose of determining the legitimacy of a Glasgow Coma Score and Respiratory Rate. This is not an all inclusive list as there may be other medication that can cause sedation.

1. **Analgesics, Opiod:** Alfentanil HCL, Anexsia, Buprenorphine HCL (Buprenex), Butorphanol Tartrate (Stadol), Codeine, Demerol, Dilaudid, Fentanyl (Duragesic), Morphine, Vicodin, Zydone
2. **Anti-anxiety:** Alprazolam (Xanax), Buspirone (Buspar), Chlordiazepoxide HCL (Librium), Diazepam (Valium), Doxepin HCL (Sinequan), Droperidol (Inapsine), Hydroxyzine (Atarax, Vistaril), Librax, Limbitrol, Lorazepam (Ativan), Meprobamate (Equanil, Miltow)
3. **Antiemetics:** Benzquinamide, Chlorpromazine (Thorazine), Cyclizine (Marezine), Dimenhydrinate (Dramamine), Diphenhydramine (Benadryl), Dolasetron Mesylate (Anzemet), Dronabinol (Marinol), Emetrol, Granisetron (Kytril), Hydroxyzine (Vistaril) Metoclopra
4. **Antiepileptics/Anticonvulsants:** Acetazolamide (Diamox), Carbamazepine (Tegretol), Clonazepam (Klonopin), Diazepam (Valium), Phenobarbital, Phenytoin (Dilantin), Topiramate (Topamax)
5. **Antimaniacals:** Divalproex (Depakote), Lithium
6. **Antipsychotics:** Chlorpromazine (Thorazine), Clozapine (Clozaril), Etrafon, Fluphenazine (Prolixin), Haloperidol (Haldol), Loxapine (Loxitane), Thioridazine (Mellaril)
7. **Sedatives:** Butabarbital Sodium (Butisol), Chloral hydrate, Etomidate (Hypnomidate), Ethchlorvynol (Placidyl), Flurazepam (Dalmane), Mephobarbital (Mebaral), Midazolam (Versed), Pentobarbital (Nembutal), Propofol (Diprivan), Quazepam (Doral), Secobarbi
8. **Skeletal Muscle Relaxants:** Baclofen (Lioresal), Chlorzoxazone (Parafon Forte), Diazepam (Valium), Methocarbamol (Robaxin), Norgesic, SOMA, Tizanidine (Zanaflex)

Attachment 2:

The following medications are those that identify a patient as “Chemically Paralyzed” for the purpose of determining the legitimacy of a Glasgow Coma Score and Respiratory Rate. This is not an all inclusive list as there may be other medications that are neuromuscular blocking agents.

Neuromuscular Blocks: Atracurium Besylate (Tracrium), Doxacurium Chlorida (Nuromax), Metocurine Iodide (Metubine Iodide), Mivacurium Chlorida (Mivacron), Succinylcholine Chlorida (Anectine), Tubocurarine Chloride, Vecuronium Bromide (Norcuron), Pancur