

Child and Adult Care Food Program Breakfast					
[Select the appropriate components for a reimbursable meal]					
Food components and food items¹	Minimum quantities				
	Ages 1-2	Ages 3-5	Ages 6-12	Ages 13-18² (at-risk afterschool programs and emergency shelters)	Adult participants
Fluid Milk ³	4 fluid ounces	6 fluid ounces	8 fluid ounces	8 fluid ounces	8 fluid ounces
Vegetables, fruits, or portions of both ⁴	¼ cup	½ cup	½ cup	½ cup	½ cup
Grains (oz. eq.) ^{5 6 7 8}	½ ounce equivalent	½ ounce equivalent	1 ounce equivalent	1 ounce equivalent	2 ounce equivalents

Endnotes:

¹ Must serve all three components for a reimbursable meal. Offer versus serve is an option for at-risk afterschool participants.

² Larger portion sizes than specified may need to be served to children 13 through 18 years old to meet their nutritional needs.

³ Must be unflavored whole milk for children age one. Must be unflavored low-fat (1 percent fat or less) or unflavored fat-free (skim) milk for children two through five years old. Must be unflavored or flavored fat-free (skim) or low-fat (1 percent fat or less) milk for children 6 years old and older and adults. For adult participants, 6 ounces (weight) or ¾ cup (volume) of yogurt may be used to meet the equivalent of 8 ounces of fluid milk once per day when yogurt is not served as a meat alternate in the same meal.

⁴ Pasteurized full-strength juice may only be used to meet the vegetable or fruit requirement at one meal, including snack, per day.

⁵ At least one serving per day, across all eating occasions, must be whole grain-rich. Grain-based desserts do not count towards meeting the grains requirement.

⁶ Meat and meat alternates may be used to meet the entire grains requirement a maximum of three times a week. One ounce of meat and meat alternates is equal to one ounce equivalent of grains.

⁷ Refer to FNS guidance for additional information on crediting different types of grains.

⁸ Breakfast cereals must contain no more than 6 grams of sugar per dry ounce (no more than 21.2 grams sucrose and other sugars per 100 grams of dry cereal).